PROJECT: TYPE: QTY:



## **Wall Cylinder**





Illuminate the space with raw elegance. Inspired by Béton Brut, the BRUT collection embraces the beauty of raw concrete with sleek, modern sophistication.

**BRUT Wall Cylinder** is a minimalistic, modern-designed outdoor wall mounted cylinder available in both direct and indirect distribution options.

**BRUT Wall Cylinder** comes in 4 concrete finish options or can be powder coated to any RAL#.

Available in single 5.3W and 6W for direct only illumination and 10.2W and 12W for both direct and indirect illumination.

IP65 rated for outdoor installation.

#### **SPECIFICATIONS**

### Square





### Round



Input Voltage	120V-277V
Wattage	5.3W-12W
Delivered Lumens	580LM - 950LM
ССТ	2700K, 3000K, 3500K, 4000K
Material	Cement /Die-cast aluminum lighting module
IK Rating	IK06
Dimming	Phase & 0-10v (100%-5%)
Lamp Life	50,000Hr
Environment	IP65 / cable gland IP67
Operating Temp	-4° F - 104° F

#### Ordering Code:

Series	Shape	
BRUT	<b>CWR</b>	Wall Cylinder Round
	cws	Wall Cylinder Square

Size	
110DN5W	4.3"
110UD10W	4.3"
90DN6W	3.5"
90UD12W	3.5"

Beam
Leave Blank
Offered only in 36D
15D
24D

	ССТ	
27K	2700K	
30K	3000K	
35K	3500K	
40K	4000K	
		_

Concrete Finish		
PS12	Pepper Sand	
SG13	Starling Grey	
NS18	Natural Stone	
EB04	Slat Earth Brown	
RAL#	RAL Finish	

	Dimming		
	D10	0-10V	
l	DTR	Triac/Phase	
l			





PROJECT: TYPE: QTY:







### **SPECIFICATIONS**

### CWR-110DN5W









5.3"

CWR-110UD10









10.2W - 720LM

CWS-110DN5W



CWS-110UD10










### **SPECIFICATIONS**


# CWR-90DN6W




#### CWR-90UD12W



### CWS-90DN6W



#### CWS-90UD12W





PROJECT: TYPE: QTY:





**CONCRETE FINISHES** 

PEPPER SAND (12)



**STARLING GREY (13)** 



**NATURAL STONE (18)** 



**SLAT EARTH BROWN (04)** 



