


BRUT



Wall Light



Illuminate the space with raw elegance. Inspired by Béton Brut, the BRUT collection embraces the beauty of raw concrete with sleek, modern sophistication.

BRUT Wall Light is an industrial-chic cement outdoor wall light featuring an adjustable beam.


BRUT Wall Light comes in 4 concrete finish options or can be powder coated to any RAL#.

Offered in various shapes and wattages.


IP65 rated for outdoor installations.

SPECIFICATIONS

BW-120 BW-190 BW-130 BW-136



BW-137 BW-142 BW-200 BW-285



Shown in Natural Stone (18) finish

Input Voltage	120V-277V
Wattage	5.3W-10.2W
Delivered Lumens	679LM-1400LM
CCT	2700K, 3000K, 3500K, 4000K
Material	Cement /Die-cast aluminum lighting module
IK Rating	IK06
Dimming	Phase & 0-10v (100%-5%)
Lamp Life	50,000Hr
Environment	IP65 / cable gland IP67
Operating Temp	-4° F - 104° F

Ordering Code:

Series	Wall Light P/N		CCT		Concrete Finish		Dimming	
BRUT	BW-120	BW-137	27K	2700K	PS12	Pepper Sand	D10	0-10V
	BW-140	BW-142	30K	3000K	SG13	Starling Grey	DTR	Triac/Phase
	BW-190	BW-200	35K	3500K	NS18	Natural Stone		
	BW-130	BW-285	40K	4000K	EB04	Slat Earth Brown		
	BW-136				RAL#	RAL Finish		




BRUT

Wall Light




SPECIFICATIONS


BW-120 & 140 (10.2W 828LM)




BW-120





BW-140





BW-190 (10.2W 679LM)





BW-136 (10.2W 740LM)



BW-130 (10.2W 742LM)



BW-142 (9.6W 858LM)




BRUT

Wall Light




SPECIFICATIONS


BW-137 (10.2W 696LM)



BW-200 (5.3W 800LM)



BW-285 (10.2W 1400LM)



BRUT

Wall Light




CONCRET FINISHES


PEPPER SAND (12)



STARLING GREY (13)



NATURAL STONE (18)



SLAT EARTH BROWN (04)

